Pain 129 (2007) 371–373

PAIN

www.elsevier.com/locate/pain

Author Index to Volume 129 (2007)

Adamson, G., Murphy, S., Shevlin, M., Buckle, P., Stubbs, D., Profiling schoolchildren in pain and associated demographic and behavioural factors: A latent class approach, **129** 295
Alonso, J., see Demyttenaere, K., **129** 332
Angermeyer, M.C., see Demyttenaere, K., **129** 332
Arendt-Nielsen, L., see Fernández-de-las-Peñas, C., **129** 363
Aslaksen, P.M., Myrbakk, I.N., Høifødt, R.S., Flaten, M.A., The effect of experimenter gender on autonomic and subjective responses to pain stimuli, **129** 260
Audette, K.M., see Sluka, K.A., **129** 102

Baad-Hansen, L., Juhl, G.I., Jensen, T.S., Brandsborg, B., Svensson, P., Differential effect of intravenous *S*-ketamine and fentanyl on atypical odontalgia and capsaicin-evoked pain, **129** 46
Babinski, K., see Sluka, K.A., **129** 102
Bach, F.W., see Schmidt-Hansen, P.T., **129** 113
Backonja, M., see Hansson, P., **129** 256
Bajwa, Z.H., see Burstein, R., **129** 364
Ballantyne, J.C., LaForge, K.S., Opioid dependence and addiction during opioid treatment of chronic pain, **129** 235
Baron, R., see Kim, H.K., **129** 93
Belfer, I., see Diatchenko, L., **129** 366
Bell, R.F., Food and pain: Should we be more interested in what our patients eat?, **129** 5
Beller, E., see Jull, G., **129** 28
Bendtsen, L., see Schmidt-Hansen, P.T., **129** 113
Benson, C.J., see Sluka, K.A., **129** 102
Bernabei, R., see Soldato, M., **129** 304
Blyth, F.M., Macfarlane, G.J., Nicholas, M.K., The contribution of psychosocial factors to the development of chronic pain: The key to better outcomes for patients?, **129** 8
Bouhassira, D., see Hansson, P., **129** 256
Brahim, J.S., see Lee, Y.-S., **129** 279
Brandsborg, B., see Baad-Hansen, L., **129** 46
Bromet, E.J., see Demyttenaere, K., **129** 332
Bruehl, S., Chung, O.Y., How common is complex regional pain syndrome-Type I?, **129** 1
Bruffaerts, R., see Demyttenaere, K., **129** 332
Buckle, P., see Adamson, G., **129** 295
Burstein, R., Jakubowski, M., McAllister, P.J., Bajwa, Z.H., Ward, T.N., Smith, P., Response to Fernández-de-las-Peñas, **129** 364

Campbell, C.M., see Rahim-Williams, F.B., **129** 177
Cannon, K.E., Chazot, P.L., Hann, V., Shenton, F., Hough, L.B., Rice, F.L., Immunohistochemical localization of histamine H_3 receptors in rodent skin, dorsal root ganglia, superior cervical ganglia, and spinal cord: Potential antinociceptive targets, **129** 76
Carpenter, I., see Soldato, M., **129** 304
Chapman, V., see Moylan Governo, R.J., **129** 230
Chazot, P.L., see Cannon, K.E., **129** 76
Chung, J.M., see Kim, H.K., **129** 93
Chung, K., see Kim, H.K., **129** 93
Chung, O.Y., see Bruehl, S., **129** 1
Clarke, G.D., see Hussey, M.J., **129** 287
Cohen, M.L., Quintner, J.L., Comment on Vierck CJ Jr: Mechanisms underlying development of spatially distributed chronic pain (fibromyalgia). Pain 2006;124:242–62, **129** 224
Craggs, J.G., see Staud, R., **129** 130
Croft, P., see Thomas, E., **129** 21
Croft, P.R., see Dunn, K.M., **129** 228

de Bruijn, A.G.J., see de Mos, M., **129** 12
de Girolamo, G., see Demyttenaere, K., **129** 332
de Graaf, R., see Demyttenaere, K., **129** 332
de Mos, M., de Bruijn, A.G.J., Huygen, F.J.P.M., Dieleman, J.P., Stricker, B.H.Ch., Sturkenboom, M.C.J.M., The incidence of complex regional pain syndrome: A population-based study, **129** 12
Demyttenaere, K., Bruffaerts, R., Lee, S., Posada-Villa, J., Kovess, V., Angermeyer, M.C., Levinson, D., de Girolamo, G., Nakane, H., Mneimneh, Z., Lara, C., de Graaf, R., Scott, K.M., Gureje, O., Stein, D.J., Haro, J.M., Bromet, E.J., Kessler, R.C., Alonso, J., Von Korff, M., Mental disorders among persons with chronic back or neck pain: Results from the world mental health surveys, **129** 332
Diatchenko, L., Nackley, A.G., Slade, G.D., Belfer, I., Max, M.B., Goldman, D., Maixner, W., Responses to Drs. Kim and Dionne regarding comments on Diatchenko, et al. Catechol-*O*-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli. Pain 2006;125:216–24, **129** 366
Dieleman, J.P., see de Mos, M., **129** 12
Dionne, R.A., see Lee, Y.-S., **129** 279
Dionne, R.A., see Kim, H., **129** 365
Dodd, M., see Miaskowski, C., **129** 55
Drangsholt, M.T., see LeResche, L., **129** 269
Dunn, K.M., Croft, P.R., Non-response does not necessarily threaten internal comparisons, **129** 228

Edlund, M.J., Steffick, D., Hudson, T., Harris, K.M., Sullivan, M., Risk factors for clinically recognized opioid abuse and dependence among veterans using opioids for chronic non-cancer pain, **129** 355
Eshcol, J.O., see Sluka, K.A., **129** 102

Fernández-de-las-Peñas, C., Arendt-Nielsen, L., Simons, D.G., Exploding vs. imploding headache in migraine prophylaxis with Botulinum Toxin A, **129** 363
Ferrini, F., Salio, C., Vergnano, A.M., Merighi, A., Vanilloid receptor-1 (TRPV1)-dependent activation of inhibitory neurotransmission in spinal *substantia gelatinosa* neurons of mouse, **129** 195
Fialova, D., see Soldato, M., **129** 304
Fields, H.L., Should we be reluctant to prescribe opioids for chronic non-malignant pain?, **129** 233
Fillingim, R.B., see Rahim-Williams, F.B., **129** 177

doi:10.1016/S0304-3959(07)00237-0

Finne-Soveri, H., Pitkälä, K., Is older age a blessing for persons with painful conditions?, **129** 3
Finne-Sovery, H., see Soldato, M., **129** 304
Flaten, M.A., see Aslaksen, P.M., **129** 260
Fuchs, P.N., see Pool, G.J., **129** 122

Goldberg, R.J., Katz, J., A meta-analysis of the analgesic effects of omega-3 polyunsaturated fatty acid supplementation for inflammatory joint pain, **129** 210
Goldman, D., see Diatchenko, L., **129** 366
Graven-Nielsen, T., see Schmidt-Hansen, P.T., **129** 113
Greenberg, M.A., see Palomino, R.A., **129** 185
Gureje, O., see Demyttenaere, K., **129** 332

Hai-Li, P., see Shan, S., **129** 64
Hann, V., see Cannon, K.E., **129** 76
Hansson, P., Backonja, M., Bouhassira, D., Usefulness and limitations of quantitative sensory testing: Clinical and research application in neuropathic pain states, **129** 256
Haro, J.M., see Demyttenaere, K., **129** 332
Harris, K.M., see Edlund, M.J., **129** 355
Hastie, B.A., see Rahim-Williams, F.B., **129** 177
Herrera, D., see Rahim-Williams, F.B., **129** 177
Hirdes, J.P., see Życzkowska, J., **129** 167
Høifødt, R.S., see Aslaksen, P.M., **129** 260
Hong, C., see Shan, S., **129** 64
Hough, L.B., see Cannon, K.E., **129** 76
Hourani, S.M.O., see Hussey, M.J., **129** 287
Huang, G., see LeResche, L., **129** 269
Hudson, T., see Edlund, M.J., **129** 355
Hush, J.M., Recurrence of back pain: A timely recognition, **129** 227
Hussey, M.J., Clarke, G.D., Ledent, C., Hourani, S.M.O., Kitchen, I., Reduced response to the formalin test and lowered spinal NMDA glutamate receptor binding in adenosine A_{2A} receptor knockout mice, **129** 287
Huygen, F.J.P.M., see de Mos, M., **129** 12

Jakubowski, M., see Burstein, R., **129** 364
Jantzi, M.R., see Życzkowska, J., **129** 167
Jensen, T.S., see Baad-Hansen, L., **129** 46
Jimmieson, N.L., see Johnston, V., **129** 311
Johnston, V., Jimmieson, N.L., Souvlis, T., Jull, G., Interaction of psychosocial risk factors explain increased neck problems among female office workers, **129** 311
Juhl, G.I., see Baad-Hansen, L., **129** 46
Jull, G., Sterling, M., Kenardy, J., Beller, E., Does the presence of sensory hypersensitivity influence outcomes of physical rehabilitation for chronic whiplash? – A preliminary RCT, **129** 28
Jull, G., see Johnston, V., **129** 311

Kadoi, J., see Takeda, M., **129** 155
Katz, J., see Goldberg, R.J., **129** 210
Keane, M., Caution with epidemiological data in relation to chronic opioid use, **129** 226
Kenardy, J., see Jull, G., **129** 28
Kessler, R.C., see Demyttenaere, K., **129** 332
Kim, H., Dionne, R.A., Comment on Diatchenko et al. Catechol-*O*-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli. Pain 2006;125:216–24, **129** 365
Kim, H., see Lee, Y.-S., **129** 279
Kim, H.K., Schattschneider, J., Lee, I., Chung, K., Baron, R., Chung, J.M., Prolonged maintenance of capsaicin-induced hyperalgesia by brief daily vibration stimuli, **129** 93
King, T., see Vera-Portocarrero, L.P., **129** 35
Kitagawa, J., see Takeda, M., **129** 155
Kitchen, I., see Hussey, M.J., **129** 287
Koo, P., see Miaskowski, C., **129** 55
Kovess, V., see Demyttenaere, K., **129** 332

LaForge, K.S., see Ballantyne, J.C., **129** 235
Lai, J., see Zhang, E.-T., **129** 143
Lai, J., see Vera-Portocarrero, L.P., **129** 35
Landi, F., see Soldato, M., **129** 304
Lara, C., see Demyttenaere, K., **129** 332
Ledent, C., see Hussey, M.J., **129** 287
Lee, G., see Lee, Y.-S., **129** 279
Lee, I., see Kim, H.K., **129** 93
Lee, S., see Demyttenaere, K., **129** 332
Lee, Y.-S., Kim, H., Brahim, J.S., Rowan, J., Lee, G., Dionne, R.A., Acetaminophen selectively suppresses peripheral prostaglandin E_2 release and increases COX-2 gene expression in a clinical model of acute inflammation, **129** 279
LeResche, L., Mancl, L.A., Drangsholt, M.T., Huang, G., Von Korff, M., Predictors of onset of facial pain and temporomandibular disorders in early adolescence, **129** 269
Levinson, D., see Demyttenaere, K., **129** 332
Liperoti, R., see Soldato, M., **129** 304
Liu, T.-M., see Tai, Y.-H., **129** 343

Macfarlane, G.J., see Blyth, F.M., **129** 8
Maixner, W., see Diatchenko, L., **129** 366
Mancl, L.A., see LeResche, L., **129** 269
Marsden, C.A., see Moylan Governo, R.J., **129** 230
Matsumoto, S., see Takeda, M., **129** 155
Max, M.B., see Diatchenko, L., **129** 366
McAllister, P.J., see Burstein, R., **129** 364
Medina Jr., E.P., see Palomino, R.A., **129** 185
Mei, H., see Shan, S., **129** 64
Merighi, A., see Ferrini, F., **129** 195
Miaskowski, C., Dodd, M., West, C., Paul, S.M., Schumacher, K., Tripathy, D., Koo, P., The use of a responder analysis to identify differences in patient outcomes following a self-care intervention to improve cancer pain management, **129** 55
Mneimneh, Z., see Demyttenaere, K., **129** 332
Morris, P.G., see Moylan Governo, R.J., **129** 230
Mottram, S., see Thomas, E., **129** 21
Mouraux, A., Plaghki, L., Are laser-evoked brain potentials modulated by attending to first or second pain?, **129** 321
Moylan Governo, R.J., Morris, P.G., William Prior, M.J., Marsden, C.A., Chapman, V., Corrigendum to "Capsaicin-evoked brain activation and central sensitization in anaesthetised rats: A functional magnetic resonance imaging study" [Pain 126 (2006) 35–45], **129** 230
Murphy, S., see Adamson, G., **129** 295
Myrbakk, I.N., see Aslaksen, P.M., **129** 260

Nackley, A.G., see Diatchenko, L., **129** 366
Nakane, H., see Demyttenaere, K., **129** 332
Nasu, M., see Takeda, M., **129** 155
Nicassio, P.M., see Palomino, R.A., **129** 185
Nicholas, M.K., see Blyth, F.M., **129** 8
Nicholas, M.K., Mental disorders in people with chronic pain: An international perspective, **129** 231

Onder, G., see Soldato, M., **129** 304
Ossipov, M.H., see Zhang, E.-T., **129** 143
Ossipov, M.H., see Vera-Portocarrero, L.P., **129** 35

Palomino, R.A., Nicassio, P.M., Greenberg, M.A., Medina Jr., E.P., Helplessness and loss as mediators between pain and depressive symptoms in fibromyalgia, **129** 185
Paul, S.M., see Miaskowski, C., **129** 55
Peat, G., see Thomas, E., **129** 21

Perlstein, W.M., see Staud, R., **129** 130
Pitkälä, K., see Finne-Soveri, H., **129** 3
Plaghki, L., see Mouraux, A., **129** 321
Pool, G.J., Schwegler, A.F., Theodore, B.R., Fuchs, P.N., Role of gender norms and group identification on hypothetical and experimental pain tolerance, **129** 122
Porreca, F., see Zhang, E.-T., **129** 143
Porreca, F., see Vera-Portocarrero, L.P., **129** 35
Posada-Villa, J., see Demyttenaere, K., **129** 332
Price, D.D., see Staud, R., **129** 130
Price, M.P., see Sluka, K.A., **129** 102

Quintner, J.L., see Cohen, M.L., **129** 224

Radhakrishnan, R., see Sluka, K.A., **129** 102
Rahim-Williams, F.B., Riley III, J.L., Herrera, D., Campbell, C.M., Hastie, B.A., Fillingim, R.B., Ethnic identity predicts experimental pain sensitivity in African Americans and Hispanics, **129** 177
Rice, F.L., see Cannon, K.E., **129** 76
Riley III, J.L., see Rahim-Williams, F.B., **129** 177
Robinson, M.E., see Staud, R., **129** 130
Rowan, J., see Lee, Y.-S., **129** 279

Salio, C., see Ferrini, F., **129** 195
Schattschneider, J., see Kim, H.K., **129** 93
Schmidt-Hansen, P.T., Svensson, P., Bendtsen, L., Graven-Nielsen, T., Bach, F.W., Increased muscle pain sensitivity in patients with tension-type headache, **129** 113
Schumacher, K., see Miaskowski, C., **129** 55
Schwegler, A.F., see Pool, G.J., **129** 122
Scott, K.M., see Demyttenaere, K., **129** 332
Shan, S., Hong, C., Mei, H., Ting-Ting, L., Hai-Li, P., Zhi-Qi, Z., Yu-Qiu, Z., New evidence for the involvement of spinal fractalkine receptor in pain facilitation and spinal glial activation in rat model of monoarthritis, **129** 64
Shenton, F., see Cannon, K.E., **129** 76
Shevlin, M., see Adamson, G., **129** 295
Simons, D.G., see Fernández-de-las-Peñas, C., **129** 363
Slade, G.D., see Diatchenko, L., **129** 366
Sluka, K.A., Radhakrishnan, R., Benson, C.J., Eshcol, J.O., Price, M.P., Babinski, K., Audette, K.M., Yeomans, D.C., Wilson, S.P., ASIC3 in muscle mediates mechanical, but not heat, hyperalgesia associated with muscle inflammation, **129** 102
Smith, P., see Burstein, R., **129** 364
Soldato, M., Liperoti, R., Landi, F., Finne-Sovery, H., Carpenter, I., Fialova, D., Bernabei, R., Onder, G., Non malignant daily pain and risk of disability among older adults in home care in Europe, **129** 304
Souvlis, T., see Johnston, V., **129** 311
Staud, R., Craggs, J.G., Robinson, M.E., Perlstein, W.M., Price, D.D., Brain activity related to temporal summation of C-fiber evoked pain, **129** 130
Steffick, D., see Edlund, M.J., **129** 355
Stein, D.J., see Demyttenaere, K., **129** 332
Sterling, M., see Jull, G., **129** 28
Stricker, B.H.Ch., see de Mos, M., **129** 12
Stubbs, D., see Adamson, G., **129** 295
Sturkenboom, M.C.J.M., see de Mos, M., **129** 12
Sullivan, M., see Edlund, M.J., **129** 355
Svensson, P., see Baad-Hansen, L., **129** 46
Svensson, P., see Schmidt-Hansen, P.T., **129** 113
Szczerbińska, K., see Życzkowska, J., **129** 167

Tai, Y.-H., Wang, Y.-H., Tsai, R.-Y., Wang, J.-J., Tao, P.-L., Liu, T.-M., Wang, Y.C., Wong, C.-S., Amitriptyline preserves morphine's antinociceptive effect by regulating the glutamate transporter GLAST and GLT-1 trafficking and excitatory amino acids concentration in morphine-tolerant rats, **129** 343
Takahashi, M., see Takeda, M., **129** 155
Takeda, M., Tanimoto, T., Kadoi, J., Nasu, M., Takahashi, M., Kitagawa, J., Matsumoto, S., Enhanced excitability of nociceptive trigeminal ganglion neurons by satellite glial cytokine following peripheral inflammation, **129** 155
Tanimoto, T., see Takeda, M., **129** 155
Tao, P.-L., see Tai, Y.-H., **129** 343
Theodore, B.R., see Pool, G.J., **129** 122
Thomas, E., Mottram, S., Peat, G., Wilkie, R., Croft, P., The effect of age on the onset of pain interference in a general population of older adults: Prospective findings from the North Staffordshire Osteoarthritis Project (NorStOP), **129** 21
Ting-Ting, L., see Shan, S., **129** 64
Tripathy, D., see Miaskowski, C., **129** 55
Tsai, R.-Y., see Tai, Y.-H., **129** 343

Vanderah, T.W., see Vera-Portocarrero, L.P., **129** 35
Vera-Portocarrero, L.P., Zhang, E.-T., King, T., Ossipov, M.H., Vanderah, T.W., Lai, J., Porreca, F., Spinal NK-1 receptor expressing neurons mediate opioid-induced hyperalgesia and antinociceptive tolerance via activation of descending pathways, **129** 35
Vergnano, A.M., see Ferrini, F., **129** 195
Vierck, C.J., Response to the Letter to the Editor of PAIN by M.L. Cohen and J.L. Quintner, **129** 225
Von Korff, M., see LeResche, L., **129** 269
Von Korff, M., see Demyttenaere, K., **129** 332

Wang, J.-J., see Tai, Y.-H., **129** 343
Wang, Y.-H., see Tai, Y.-H., **129** 343
Wang, Y.C., see Tai, Y.-H., **129** 343
Ward, T.N., see Burstein, R., **129** 364
West, C., see Miaskowski, C., **129** 55
Wilkie, R., see Thomas, E., **129** 21
William Prior, M.J., see Moylan Governo, R.J., **129** 230
Wilson, S.P., see Sluka, K.A., **129** 102
Wong, C.-S., see Tai, Y.-H., **129** 343

Yeomans, D.C., see Sluka, K.A., **129** 102
Yu-Qiu, Z., see Shan, S., **129** 64

Zhang, D.-Q., see Zhang, E.-T., **129** 143
Zhang, E.-T., Ossipov, M.H., Zhang, D.-Q., Lai, J., Porreca, F., Nerve injury-induced tactile allodynia is present in the absence of FOS labeling in retrogradely labeled post-synaptic dorsal column neurons, **129** 143
Zhang, E.-T., see Vera-Portocarrero, L.P., **129** 35
Zhi-Qi, Z., see Shan, S., **129** 64
Życzkowska, J., Szczerbińska, K., Jantzi, M.R., Hirdes, J.P., Pain among the oldest old in community and institutional settings, **129** 167

Pain 129 (2007) 374–379

PAIN

www.elsevier.com/locate/pain

Subject Index to Volume 129 (2007)

Aβ fibers
Immunohistochemical localization of histamine H_3 receptors in rodent skin, dorsal root ganglia, superior cervical ganglia, and spinal cord: Potential antinociceptive targets, **129**, 76

Aδ fibers
Immunohistochemical localization of histamine H_3 receptors in rodent skin, dorsal root ganglia, superior cervical ganglia, and spinal cord: Potential antinociceptive targets, **129**, 76

Aδ fibers
Are laser-evoked brain potentials modulated by attending to first or second pain?, **129**, 321

Acetaminophen
Acetaminophen selectively suppresses peripheral prostaglandin E_2 release and increases COX-2 gene expression in a clinical model of acute inflammation, **129**, 279

Acid
ASIC3 in muscle mediates mechanical, but not heat, hyperalgesia associated with muscle inflammation, **129**, 102

Adenosine A_{2A} antagonist
Reduced response to the formalin test and lowered spinal NMDA glutamate receptor binding in adenosine A_{2A} receptor knockout mice, **129**, 287

Adenosine A_{2A} receptor
Reduced response to the formalin test and lowered spinal NMDA glutamate receptor binding in adenosine A_{2A} receptor knockout mice, **129**, 287

Adolescents
Predictors of onset of facial pain and temporomandibular disorders in early adolescence, **129**, 269

Adolescents
Profiling schoolchildren in pain and associated demographic and behavioural factors: A latent class approach, **129**, 295

Aged
The effect of age on the onset of pain interference in a general population of older adults: Prospective findings from the North Staffordshire Osteoarthritis Project (NorStOP), **129**, 21

Allodynia
New evidence for the involvement of spinal fractalkine receptor in pain facilitation and spinal glial activation in rat model of monoarthritis, **129**, 64

Amitriptyline
Amitriptyline preserves morphine's antinociceptive effect by regulating the glutamate transporter GLAST and GLT-1 trafficking and excitatory amino acids concentration in morphine-tolerant rats, **129**, 343

Anatomy
Vanilloid receptor-1 (TRPV1)-dependent activation of inhibitory neurotransmission in spinal *substantia gelatinosa* neurons of mouse, **129**, 195

Arterial innervation
Immunohistochemical localization of histamine H_3 receptors in rodent skin, dorsal root ganglia, superior cervical ganglia, and spinal cord: Potential antinociceptive targets, **129**, 76

Assessment
Pain among the oldest old in community and institutional settings, **129**, 167

Atypical odontalgia
Differential effect of intravenous *S*-ketamine and fentanyl on atypical odontalgia and capsaicin-evoked pain, **129**, 46

Autonomic pain responses
The effect of experimenter gender on autonomic and subjective responses to pain stimuli, **129**, 260

Bone metastasis
The use of a responder analysis to identify differences in patient outcomes following a self-care intervention to improve cancer pain management, **129**, 55

Calcitonin gene-related peptide
Immunohistochemical localization of histamine H_3 receptors in rodent skin, dorsal root ganglia, superior cervical ganglia, and spinal cord: Potential antinociceptive targets, **129**, 76

Cancer pain
The use of a responder analysis to identify differences in patient outcomes following a self-care intervention to improve cancer pain management, **129**, 55

Capsaicin
Prolonged maintenance of capsaicin-induced hyperalgesia by brief daily vibration stimuli, **129**, 93

Capsaicin
Vanilloid receptor-1 (TRPV1)-dependent activation of inhibitory neurotransmission in spinal *substantia gelatinosa* neurons of mouse, **129**, 195

Carrageenan
ASIC3 in muscle mediates mechanical, but not heat, hyperalgesia associated with muscle inflammation, **129**, 102

Centenarian
Pain among the oldest old in community and institutional settings, **129**, 167

Central sensitization
Increased muscle pain sensitivity in patients with tension-type headache, **129**, 113

Central sensitization
Prolonged maintenance of capsaicin-induced hyperalgesia by brief daily vibration stimuli, **129**, 93

C-fibers
Are laser-evoked brain potentials modulated by attending to first or second pain?, **129**, 321

Chronic back or neck pain
Mental disorders among persons with chronic back or neck pain: Results from the world mental health surveys, **129**, 332

doi:10.1016/S0304-3959(07)00238-2

Chronic pain
Prolonged maintenance of capsaicin-induced hyperalgesia by brief daily vibration stimuli, **129**, 93
Chronic pain
Predictors of onset of facial pain and temporomandibular disorders in early adolescence, **129**, 269
Clinical trial
Does the presence of sensory hypersensitivity influence outcomes of physical rehabilitation for chronic whiplash? – A preliminary RCT, **129**, 28
Complex regional pain syndrome
The incidence of complex regional pain syndrome: A population-based study, **129**, 12
Covariates
Profiling schoolchildren in pain and associated demographic and behavioural factors: A latent class approach, **129**, 295
Cross-national survey
Mental disorders among persons with chronic back or neck pain: Results from the world mental health surveys, **129**, 332
CRPS-1
Prolonged maintenance of capsaicin-induced hyperalgesia by brief daily vibration stimuli, **129**, 93
CX3CR1
New evidence for the involvement of spinal fractalkine receptor in pain facilitation and spinal glial activation in rat model of monoarthritis, **129**, 64
Depression
Helplessness and loss as mediators between pain and depressive symptoms in fibromyalgia, **129**, 185
Descending facilitation
Spinal NK-1 receptor expressing neurons mediate opioid-induced hyperalgesia and antinociceptive tolerance via activation of descending pathways, **129**, 35
DHA
A meta-analysis of the analgesic effects of omega-3 polyunsaturated fatty acid supplementation for inflammatory joint pain, **129**, 210
Disability
Helplessness and loss as mediators between pain and depressive symptoms in fibromyalgia, **129**, 185
Disability
Non malignant daily pain and risk of disability among older adults in home care in Europe, **129**, 304
Dysmenorrhea
A meta-analysis of the analgesic effects of omega-3 polyunsaturated fatty acid supplementation for inflammatory joint pain, **129**, 210
Dystrophy
The incidence of complex regional pain syndrome: A population-based study, **129**, 12
Elderly
Non malignant daily pain and risk of disability among older adults in home care in Europe, **129**, 304
Electrophysiology
Vanilloid receptor-1 (TRPV1)-dependent activation of inhibitory neurotransmission in spinal *substantia gelatinosa* neurons of mouse, **129**, 195
EPA
A meta-analysis of the analgesic effects of omega-3 polyunsaturated fatty acid supplementation for inflammatory joint pain, **129**, 210
Epidemiology
The incidence of complex regional pain syndrome: A population-based study, **129**, 12
Ethnic identity
Ethnic identity predicts experimental pain sensitivity in African Americans and Hispanics, **129**, 177
Ethnicity
Ethnic identity predicts experimental pain sensitivity in African Americans and Hispanics, **129**, 177
Experimental muscle pain
Increased muscle pain sensitivity in patients with tension-type headache, **129**, 113
Experimenter gender
The effect of experimenter gender on autonomic and subjective responses to pain stimuli, **129**, 260
Fibromyalgia
Helplessness and loss as mediators between pain and depressive symptoms in fibromyalgia, **129**, 185
Fish oil
A meta-analysis of the analgesic effects of omega-3 polyunsaturated fatty acid supplementation for inflammatory joint pain, **129**, 210
fMRI
Brain activity related to temporal summation of C-fiber evoked pain, **129**, 130
Formalin test
Reduced response to the formalin test and lowered spinal NMDA glutamate receptor binding in adenosine A_{2A} receptor knockout mice, **129**, 287
FOS expression
Nerve injury-induced tactile allodynia is present in the absence of FOS labeling in retrogradely labeled post-synaptic dorsal column neurons, **129**, 143
GABA
Vanilloid receptor-1 (TRPV1)-dependent activation of inhibitory neurotransmission in spinal *substantia gelatinosa* neurons of mouse, **129**, 195
Gender
Role of gender norms and group identification on hypothetical and experimental pain tolerance, **129**, 122
Gender
Predictors of onset of facial pain and temporomandibular disorders in early adolescence, **129**, 269
Gender roles
The effect of experimenter gender on autonomic and subjective responses to pain stimuli, **129**, 260
Gene expression
Acetaminophen selectively suppresses peripheral prostaglandin E_2 release and increases COX-2 gene expression in a clinical model of acute inflammation, **129**, 279
Glutamate transporter
Amitriptyline preserves morphine's antinociceptive effect by regulating the glutamate transporter GLAST and GLT-1 trafficking and excitatory amino acids concentration in morphine-tolerant rats, **129**, 343
Glycine
Vanilloid receptor-1 (TRPV1)-dependent activation of inhibitory neurotransmission in spinal *substantia gelatinosa* neurons of mouse, **129**, 195
Go/NoGo
Are laser-evoked brain potentials modulated by attending to first or second pain?, **129**, 321
Group identification
Role of gender norms and group identification on hypothetical and experimental pain tolerance, **129**, 122
H_3 receptors
Immunohistochemical localization of histamine H_3 receptors in rodent skin, dorsal root ganglia, superior cervical ganglia, and spinal cord: Potential antinociceptive targets, **129**, 76
Heart rate variability
The effect of experimenter gender on autonomic and subjective responses to pain stimuli, **129**, 260

Heat pain
The effect of experimenter gender on autonomic and subjective responses to pain stimuli, **129**, 260
Helplessness
Helplessness and loss as mediators between pain and depressive symptoms in fibromyalgia, **129**, 185
Histamine
Immunohistochemical localization of histamine H_3 receptors in rodent skin, dorsal root ganglia, superior cervical ganglia, and spinal cord: Potential antinociceptive targets, **129**, 76
Home care
Pain among the oldest old in community and institutional settings, **129**, 167
Home care
Non malignant daily pain and risk of disability among older adults in home care in Europe, **129**, 304
Hyperalgesia
Enhanced excitability of nociceptive trigeminal ganglion neurons by satellite glial cytokine following peripheral inflammation, **129**, 155
Hyperalgesia
New evidence for the involvement of spinal fractalkine receptor in pain facilitation and spinal glial activation in rat model of monoarthritis, **129**, 64
Hyperalgesia
Prolonged maintenance of capsaicin-induced hyperalgesia by brief daily vibration stimuli, **129**, 93
Incidence
The incidence of complex regional pain syndrome: A population-based study, **129**, 12
Predictors of onset of facial pain and temporomandibular disorders in early adolescence, **129**, 269
Inflammation
A meta-analysis of the analgesic effects of omega-3 polyunsaturated fatty acid supplementation for inflammatory joint pain, **129**, 210
Inflammation
Enhanced excitability of nociceptive trigeminal ganglion neurons by satellite glial cytokine following peripheral inflammation, **129**, 155
Inflammatory bowel disease
A meta-analysis of the analgesic effects of omega-3 polyunsaturated fatty acid supplementation for inflammatory joint pain, **129**, 210
Inhibitory neurotransmission
Vanilloid receptor-1 (TRPV1)-dependent activation of inhibitory neurotransmission in spinal *substantia gelatinosa* neurons of mouse, **129**, 195
Inhibitory post-synaptic currents
Vanilloid receptor-1 (TRPV1)-dependent activation of inhibitory neurotransmission in spinal *substantia gelatinosa* neurons of mouse, **129**, 195
Inter*RAI*
Pain among the oldest old in community and institutional settings, **129**, 167
Interference
The effect of age on the onset of pain interference in a general population of older adults: Prospective findings from the North Staffordshire Osteoarthritis Project (NorStOP), **129**, 21
Interleukin-1β
Enhanced excitability of nociceptive trigeminal ganglion neurons by satellite glial cytokine following peripheral inflammation, **129**, 155
Ion
ASIC3 in muscle mediates mechanical, but not heat, hyperalgesia associated with muscle inflammation, **129**, 102
Joint pain
A meta-analysis of the analgesic effects of omega-3 polyunsaturated fatty acid supplementation for inflammatory joint pain, **129**, 210
Laser evoked potentials
Are laser-evoked brain potentials modulated by attending to first or second pain?, **129**, 321
Latent class analysis
Profiling schoolchildren in pain and associated demographic and behavioural factors: A latent class approach, **129**, 295
Loss
Helplessness and loss as mediators between pain and depressive symptoms in fibromyalgia, **129**, 185
Mental disorders
Mental disorders among persons with chronic back or neck pain: Results from the world mental health surveys, **129**, 332
Mental health
Risk factors for clinically recognized opioid abuse and dependence among veterans using opioids for chronic non-cancer pain, **129**, 355
Meta-analysis
A meta-analysis of the analgesic effects of omega-3 polyunsaturated fatty acid supplementation for inflammatory joint pain, **129**, 210
Microglia
New evidence for the involvement of spinal fractalkine receptor in pain facilitation and spinal glial activation in rat model of monoarthritis, **129**, 64
Monoarthritis
New evidence for the involvement of spinal fractalkine receptor in pain facilitation and spinal glial activation in rat model of monoarthritis, **129**, 64
Mood states
The use of a responder analysis to identify differences in patient outcomes following a self-care intervention to improve cancer pain management, **129**, 55
Morphine tolerance
Amitriptyline preserves morphine's antinociceptive effect by regulating the glutamate transporter GLAST and GLT-1 trafficking and excitatory amino acids concentration in morphine-tolerant rats, **129**, 343
Mouse
Reduced response to the formalin test and lowered spinal NMDA glutamate receptor binding in adenosine A_{2A} receptor knockout mice, **129**, 287
Muscular hyperalgesia
Increased muscle pain sensitivity in patients with tension-type headache, **129**, 113
Musculoskeletal pain
Profiling schoolchildren in pain and associated demographic and behavioural factors: A latent class approach, **129**, 295
Neck disability index
Interaction of psychosocial risk factors explain increased neck problems among female office workers, **129**, 311
Neuropathic pain
Nerve injury-induced tactile allodynia is present in the absence of FOS labeling in retrogradely labeled post-synaptic dorsal column neurons, **129**, 143
NK1 receptor
Reduced response to the formalin test and lowered spinal NMDA glutamate receptor binding in adenosine A_{2A} receptor knockout mice, **129**, 287
NK1 receptor
Vanilloid receptor-1 (TRPV1)-dependent activation of inhibitory neurotransmission in spinal *substantia gelatinosa* neurons of mouse, **129**, 195
NK-1 receptors
Spinal NK-1 receptor expressing neurons mediate opioid-induced hyperalgesia and antinociceptive tolerance via activation of descending pathways, **129**, 35
NMDA glutamate receptor
Reduced response to the formalin test and lowered spinal NMDA glutamate receptor binding in adenosine A_{2A} receptor knockout mice, **129**, 287

NMDA-receptor
Prolonged maintenance of capsaicin-induced hyperalgesia by brief daily vibration stimuli, **129**, 93
NMDA-receptor antagonist
Differential effect of intravenous *S*-ketamine and fentanyl on atypical odontalgia and capsaicin-evoked pain, **129**, 46
Nociception
Reduced response to the formalin test and lowered spinal NMDA glutamate receptor binding in adenosine A_{2A} receptor knockout mice, **129**, 287
Nociceptor
ASIC3 in muscle mediates mechanical, but not heat, hyperalgesia associated with muscle inflammation, **129**, 102
North Staffordshire Osteoarthritis Project
The effect of age on the onset of pain interference in a general population of older adults: Prospective findings from the North Staffordshire Osteoarthritis Project (NorStOP), **129**, 21
NSAIDs
Acetaminophen selectively suppresses peripheral prostaglandin E_2 release and increases COX-2 gene expression in a clinical model of acute inflammation, **129**, 279
Omega-3 polyunsaturated fatty acids
A meta-analysis of the analgesic effects of omega-3 polyunsaturated fatty acid supplementation for inflammatory joint pain, **129**, 210
Opioid abuse
Risk factors for clinically recognized opioid abuse and dependence among veterans using opioids for chronic non-cancer pain, **129**, 355
Opioid analgesics
Opioid dependence and addiction during opioid treatment of chronic pain, **129**, 235
Opioid-induced hyperalgesia
Spinal NK-1 receptor expressing neurons mediate opioid-induced hyperalgesia and antinociceptive tolerance via activation of descending pathways, **129**, 35
Opioid-related disorders
Opioid dependence and addiction during opioid treatment of chronic pain, **129**, 235
Opioids
Differential effect of intravenous *S*-ketamine and fentanyl on atypical odontalgia and capsaicin-evoked pain, **129**, 46
Opioids
Risk factors for clinically recognized opioid abuse and dependence among veterans using opioids for chronic non-cancer pain, **129**, 355
Orofacial pain
Differential effect of intravenous *S*-ketamine and fentanyl on atypical odontalgia and capsaicin-evoked pain, **129**, 46
Pain
ASIC3 in muscle mediates mechanical, but not heat, hyperalgesia associated with muscle inflammation, **129**, 102
Pain
Helplessness and loss as mediators between pain and depressive symptoms in fibromyalgia, **129**, 185
Pain
The effect of age on the onset of pain interference in a general population of older adults: Prospective findings from the North Staffordshire Osteoarthritis Project (NorStOP), **129**, 21
Pain
Vanilloid receptor-1 (TRPV1)-dependent activation of inhibitory neurotransmission in spinal *substantia gelatinosa* neurons of mouse, **129**, 195
Pain
Non malignant daily pain and risk of disability among older adults in home care in Europe, **129**, 304
Pain
Opioid dependence and addiction during opioid treatment of chronic pain, **129**, 235
Pain
Risk factors for clinically recognized opioid abuse and dependence among veterans using opioids for chronic non-cancer pain, **129**, 355
Pain assessment
Increased muscle pain sensitivity in patients with tension-type headache, **129**, 113
Pain interference with function
The use of a responder analysis to identify differences in patient outcomes following a self-care intervention to improve cancer pain management, **129**, 55
Pain mechanisms
Differential effect of intravenous *S*-ketamine and fentanyl on atypical odontalgia and capsaicin-evoked pain, **129**, 46
Pain profiles
Profiling schoolchildren in pain and associated demographic and behavioural factors: A latent class approach, **129**, 295
Pain range
Ethnic identity predicts experimental pain sensitivity in African Americans and Hispanics, **129**, 177
Pain report
The effect of experimenter gender on autonomic and subjective responses to pain stimuli, **129**, 260
Pain threshold
Ethnic identity predicts experimental pain sensitivity in African Americans and Hispanics, **129**, 177
Pain threshold
Role of gender norms and group identification on hypothetical and experimental pain tolerance, **129**, 122
Pain tolerance
Ethnic identity predicts experimental pain sensitivity in African Americans and Hispanics, **129**, 177
Pain tolerance
Role of gender norms and group identification on hypothetical and experimental pain tolerance, **129**, 122
Persistent pain
Prolonged maintenance of capsaicin-induced hyperalgesia by brief daily vibration stimuli, **129**, 93
Pressure algometry
Increased muscle pain sensitivity in patients with tension-type headache, **129**, 113
Prevalence
Mental disorders among persons with chronic back or neck pain: Results from the world mental health surveys, **129**, 332
Projection cells
Spinal NK-1 receptor expressing neurons mediate opioid-induced hyperalgesia and antinociceptive tolerance via activation of descending pathways, **129**, 35
Prospective survey
The effect of age on the onset of pain interference in a general population of older adults: Prospective findings from the North Staffordshire Osteoarthritis Project (NorStOP), **129**, 21
Protein kinase A
Amitriptyline preserves morphine's antinociceptive effect by regulating the glutamate transporter GLAST and GLT-1 trafficking and excitatory amino acids concentration in morphine-tolerant rats, **129**, 343
Protein kinase C
Amitriptyline preserves morphine's antinociceptive effect by regulating the glutamate transporter GLAST and GLT-1 trafficking and excitatory amino acids concentration in morphine-tolerant rats, **129**, 343
Proton
ASIC3 in muscle mediates mechanical, but not heat, hyperalgesia associated with muscle inflammation, **129**, 102

PSDC cells
Nerve injury-induced tactile allodynia is present in the absence of FOS labeling in retrogradely labeled post-synaptic dorsal column neurons, **129**, 143
Psychoeducational intervention
The use of a responder analysis to identify differences in patient outcomes following a self-care intervention to improve cancer pain management, **129**, 55
Psychosocial risk factors
Interaction of psychosocial risk factors explain increased neck problems among female office workers, **129**, 311
Quality of life
The use of a responder analysis to identify differences in patient outcomes following a self-care intervention to improve cancer pain management, **129**, 55
Quantitative sensory testing
Differential effect of intravenous *S*-ketamine and fentanyl on atypical odontalgia and capsaicin-evoked pain, **129**, 46
Race
Ethnic identity predicts experimental pain sensitivity in African Americans and Hispanics, **129**, 177
Rat
New evidence for the involvement of spinal fractalkine receptor in pain facilitation and spinal glial activation in rat model of monoarthritis, **129**, 64
RCT
A meta-analysis of the analgesic effects of omega-3 polyunsaturated fatty acid supplementation for inflammatory joint pain, **129**, 210
Referred pain
Increased muscle pain sensitivity in patients with tension-type headache, **129**, 113
Rehabilitation
Does the presence of sensory hypersensitivity influence outcomes of physical rehabilitation for chronic whiplash? – A preliminary RCT, **129**, 28
Responder analysis
The use of a responder analysis to identify differences in patient outcomes following a self-care intervention to improve cancer pain management, **129**, 55
Response inhibition
Are laser-evoked brain potentials modulated by attending to first or second pain?, **129**, 321
Rheumatoid arthritis
A meta-analysis of the analgesic effects of omega-3 polyunsaturated fatty acid supplementation for inflammatory joint pain, **129**, 210
Satellite glia
Enhanced excitability of nociceptive trigeminal ganglion neurons by satellite glial cytokine following peripheral inflammation, **129**, 155
SCH58261
Reduced response to the formalin test and lowered spinal NMDA glutamate receptor binding in adenosine A_{2A} receptor knockout mice, **129**, 287
Second pain
Brain activity related to temporal summation of C-fiber evoked pain, **129**, 130
Selective COX-2 inhibitor
Acetaminophen selectively suppresses peripheral prostaglandin E_2 release and increases COX-2 gene expression in a clinical model of acute inflammation, **129**, 279
Sensory hypersensitivity
Does the presence of sensory hypersensitivity influence outcomes of physical rehabilitation for chronic whiplash? – A preliminary RCT, **129**, 28
Sensory innervation
Immunohistochemical localization of histamine H_3 receptors in rodent skin, dorsal root ganglia, superior cervical ganglia, and spinal cord: Potential antinociceptive targets, **129**, 76
Social norms
Role of gender norms and group identification on hypothetical and experimental pain tolerance, **129**, 122
Somatization
Predictors of onset of facial pain and temporomandibular disorders in early adolescence, **129**, 269
Spinal cord
Nerve injury-induced tactile allodynia is present in the absence of FOS labeling in retrogradely labeled post-synaptic dorsal column neurons, **129**, 143
Spinal cord
Vanilloid receptor-1 (TRPV1)-dependent activation of inhibitory neurotransmission in spinal *substantia gelatinosa* neurons of mouse, **129**, 195
Spinal cord
Reduced response to the formalin test and lowered spinal NMDA glutamate receptor binding in adenosine A_{2A} receptor knockout mice, **129**, 287
Spinal plasticity
Spinal NK-1 receptor expressing neurons mediate opioid-induced hyperalgesia and antinociceptive tolerance via activation of descending pathways, **129**, 35
Spinal tolerance
Spinal NK-1 receptor expressing neurons mediate opioid-induced hyperalgesia and antinociceptive tolerance via activation of descending pathways, **129**, 35
Stepwise regression
The effect of experimenter gender on autonomic and subjective responses to pain stimuli, **129**, 260
Subjective emotions
The effect of experimenter gender on autonomic and subjective responses to pain stimuli, **129**, 260
Substance abuse
Risk factors for clinically recognized opioid abuse and dependence among veterans using opioids for chronic non-cancer pain, **129**, 355
Substance P
Immunohistochemical localization of histamine H_3 receptors in rodent skin, dorsal root ganglia, superior cervical ganglia, and spinal cord: Potential antinociceptive targets, **129**, 76
Substance P
Vanilloid receptor-1 (TRPV1)-dependent activation of inhibitory neurotransmission in spinal *substantia gelatinosa* neurons of mouse, **129**, 195
Substantia gelatinosa
Vanilloid receptor-1 (TRPV1)-dependent activation of inhibitory neurotransmission in spinal *substantia gelatinosa* neurons of mouse, **129**, 195
Substance-related disorders
Opioid dependence and addiction during opioid treatment of chronic pain, **129**, 235
Temporal summation
Brain activity related to temporal summation of C-fiber evoked pain, **129**, 130
Temporomandibular disorders
Predictors of onset of facial pain and temporomandibular disorders in early adolescence, **129**, 269
Tension-type headache
Increased muscle pain sensitivity in patients with tension-type headache, **129**, 113
Trafficking
Amitriptyline preserves morphine's antinociceptive effect by regulating the glutamate transporter GLAST and GLT-1 trafficking and excitatory amino acids concentration in morphine-tolerant rats, **129**, 343
Trigeminal ganglion
Enhanced excitability of nociceptive trigeminal ganglion neurons by satellite glial cytokine following peripheral inflammation, **129**, 155

Trigeminal pain
Differential effect of intravenous *S*-ketamine and fentanyl on atypical odontalgia and capsaicin-evoked pain, **129**, 46
TRPV1
Vanilloid receptor-1 (TRPV1)-dependent activation of inhibitory neurotransmission in spinal *substantia gelatinosa* neurons of mouse, **129**, 195
Vibration stimulation
Prolonged maintenance of capsaicin-induced hyperalgesia by brief daily vibration stimuli, **129**, 93
Whiplash
Does the presence of sensory hypersensitivity influence outcomes of physical rehabilitation for chronic whiplash? – A preliminary RCT, **129**, 28
Windup
Brain activity related to temporal summation of C-fiber evoked pain, **129**, 130
World mental health surveys
Mental disorders among persons with chronic back or neck pain: Results from the world mental health surveys, **129**, 332

PAIN

Pain 129 (2007) 380–382

www.elsevier.com/locate/pain

Contents to Volume 129 (2007)

Numbers 1,2 – May 2007

EDITORIALS

How common is complex regional pain syndrome-Type I?
S. Bruehl, O.Y. Chung (USA) 1

Is older age a blessing for persons with painful conditions?
H. Finne-Soveri, K. Pitkälä (Finland) 3

Food and pain: Should we be more interested in what our patients eat?
R.F. Bell (Norway) 5

TOPICAL REVIEW

The contribution of psychosocial factors to the development of chronic pain: The key to better outcomes for patients?
F.M. Blyth, G.J. Macfarlane, M.K. Nicholas (Australia, UK) 8

RESEARCH PAPERS

The incidence of complex regional pain syndrome: A population-based study
M. de Mos, A.G.J. de Bruijn, F.J.P.M. Huygen, J.P. Dieleman, B.H.Ch. Stricker, M.C.J.M. Sturkenboom (The Netherlands) 12

The effect of age on the onset of pain interference in a general population of older adults: Prospective findings from the North Staffordshire Osteoarthritis Project (NorStOP)
E. Thomas, S. Mottram, G. Peat, R. Wilkie, P. Croft (UK) 21

Does the presence of sensory hypersensitivity influence outcomes of physical rehabilitation for chronic whiplash? – A preliminary RCT
G. Jull, M. Sterling, J. Kenardy, E. Beller (Australia) 28

Spinal NK-1 receptor expressing neurons mediate opioid-induced hyperalgesia and antinociceptive tolerance via activation of descending pathways
L.P. Vera-Portocarrero, E.-T. Zhang, T. King, M.H. Ossipov, T.W. Vanderah, J. Lai, F. Porreca (USA) 35

Differential effect of intravenous *S*-ketamine and fentanyl on atypical odontalgia and capsaicin-evoked pain
L. Baad-Hansen, G.I. Juhl, T.S. Jensen, B. Brandsborg, P. Svensson (Denmark) 46

The use of a responder analysis to identify differences in patient outcomes following a self-care intervention to improve cancer pain management
C. Miaskowski, M. Dodd, C. West, S.M. Paul, K. Schumacher, D. Tripathy, P. Koo (USA) 55

New evidence for the involvement of spinal fractalkine receptor in pain facilitation and spinal glial activation in rat model of monoarthritis
S. Shan, C. Hong, H. Mei, L. Ting-Ting, P. Hai-Li, Z. Zhi-Qi, Z. Yu-Qiu (China) 64

Immunohistochemical localization of histamine H_3 receptors in rodent skin, dorsal root ganglia, superior cervical ganglia, and spinal cord: Potential antinociceptive targets
K.E. Cannon, P.L. Chazot, V. Hann, F. Shenton, L.B. Hough, F.L. Rice (USA, UK) 76

Prolonged maintenance of capsaicin-induced hyperalgesia by brief daily vibration stimuli
H.K. Kim, J. Schattschneider, I. Lee, K. Chung, R. Baron, J.M. Chung (USA, Germany) 93

ASIC3 in muscle mediates mechanical, but not heat, hyperalgesia associated with muscle inflammation
K.A. Sluka, R. Radhakrishnan, C.J. Benson, J.O. Eshcol, M.P. Price, K. Babinski, K.M. Audette, D.C. Yeomans, S.P. Wilson (USA, Canada) 102

Increased muscle pain sensitivity in patients with tension-type headache
P.T. Schmidt-Hansen, P. Svensson, L. Bendtsen, T. Graven-Nielsen, F.W. Bach (Denmark) 113

Role of gender norms and group identification on hypothetical and experimental pain tolerance
G.J. Pool, A.F. Schwegler, B.R. Theodore, P.N. Fuchs (USA) 122

Brain activity related to temporal summation of C-fiber evoked pain
R. Staud, J.G. Craggs, M.E. Robinson, W.M. Perlstein, D.D. Price (USA) 130

Nerve injury-induced tactile allodynia is present in the absence of FOS labeling in retrogradely labeled post-synaptic dorsal column neurons
E.-T. Zhang, M.H. Ossipov, D.-Q. Zhang, J. Lai, F. Porreca (USA) 143

doi:10.1016/S0304-3959(07)00239-4

Enhanced excitability of nociceptive trigeminal ganglion neurons by satellite glial cytokine following peripheral inflammation
M. Takeda, T. Tanimoto, J. Kadoi, M. Nasu, M. Takahashi, J. Kitagawa, S. Matsumoto (Japan) 155
Pain among the oldest old in community and institutional settings
J. Życzkowska, K. Szczerbińska, M.R. Jantzi, J.P. Hirdes (Poland, Canada) 167
Ethnic identity predicts experimental pain sensitivity in African Americans and Hispanics
F.B. Rahim-Williams, J.L. Riley III, D. Herrera, C.M. Campbell, B.A. Hastie, R.B. Fillingim (USA) 177
Helplessness and loss as mediators between pain and depressive symptoms in fibromyalgia
R.A. Palomino, P.M. Nicassio, M.A. Greenberg, E.P. Medina Jr. (USA) 185
Vanilloid receptor-1 (TRPV1)-dependent activation of inhibitory neurotransmission in spinal *substantia gelatinosa* neurons of mouse
F. Ferrini, C. Salio, A.M. Vergnano, A. Merighi (Italy) 195
A meta-analysis of the analgesic effects of omega-3 polyunsaturated fatty acid supplementation for inflammatory joint pain
R.J. Goldberg, J. Katz (Canada) 210

LETTERS TO THE EDITOR

Comment on Vierck CJ Jr: Mechanisms underlying development of spatially distributed chronic pain (fibromyalgia). Pain 2006;124: 242–62
M.L. Cohen, J.L. Quintner (Australia) 224
Response to the Letter to the Editor of PAIN by M.L. Cohen and J.L. Quintner
C.J. Vierck (USA) 225
Caution with epidemiological data in relation to chronic opioid use
M. Keane (Australia) 226
Recurrence of back pain: A timely recognition
J.M. Hush (Australia) 227
Non-response does not necessarily threaten internal comparisons
K.M. Dunn, P.R. Croft (UK) 228

CORRIGENDUM

Corrigendum to "Capsaicin-evoked brain activation and central sensitization in anaesthetised rats: A functional magnetic resonance imaging study" [Pain 126 (2006) 35–45]
R.J. Moylan Governo, P.G. Morris, M.J. William Prior, C.A. Marsden, V. Chapman (UK) 230

Number 3 – June 2007

EDITORIALS

Mental disorders in people with chronic pain: An international perspective
M.K. Nicholas (Australia) 231
Should we be reluctant to prescribe opioids for chronic non-malignant pain?
H.L. Fields (USA) 233

REVIEW

Opioid dependence and addiction during opioid treatment of chronic pain
J.C. Ballantyne, K.S. LaForge (USA, Finland) 235

TOPICAL REVIEW

Usefulness and limitations of quantitative sensory testing: Clinical and research application in neuropathic pain states
P. Hansson, M. Backonja, D. Bouhassira (Sweden, USA, France) 256

RESEARCH PAPERS

The effect of experimenter gender on autonomic and subjective responses to pain stimuli
P.M. Aslaksen, I.N. Myrbakk, R.S. Høifødt, M.A. Flaten (Norway) 260
Predictors of onset of facial pain and temporomandibular disorders in early adolescence
L. LeResche, L.A. Mancl, M.T. Drangsholt, G. Huang, M. Von Korff (USA) 269
Acetaminophen selectively suppresses peripheral prostaglandin E_2 release and increases COX-2 gene expression in a clinical model of acute inflammation
Y.-S. Lee, H. Kim, J.S. Brahim, J. Rowan, G. Lee, R.A. Dionne (USA) 279
Reduced response to the formalin test and lowered spinal NMDA glutamate receptor binding in adenosine A_{2A} receptor knockout mice
M.J. Hussey, G.D. Clarke, C. Ledent, S.M.O. Hourani, I. Kitchen (UK, Belgium) 287
Profiling schoolchildren in pain and associated demographic and behavioural factors: A latent class approach
G. Adamson, S. Murphy, M. Shevlin, P. Buckle, D. Stubbs (UK) 295
Non malignant daily pain and risk of disability among older adults in home care in Europe
M. Soldato, R. Liperoti, F. Landi, H. Finne-Sovery, I. Carpenter, D. Fialova, R. Bernabei, G. Onder (Italy, Finland, UK, Czech Republic) 304

Interaction of psychosocial risk factors explain increased neck problems among female office workers
V. Johnston, N.L. Jimmieson, T. Souvlis, G. Jull (Australia) 311
Are laser-evoked brain potentials modulated by attending to first or second pain?
A. Mouraux, L. Plaghki (Belgium) 321
Mental disorders among persons with chronic back or neck pain: Results from the world mental health surveys
K. Demyttenaere, R. Bruffaerts, S. Lee, J. Posada-Villa, V. Kovess, M.C. Angermeyer, D. Levinson, G. de Girolamo, H. Nakane, Z. Mneimneh, C. Lara, R. de Graaf, K.M. Scott, O. Gureje, D.J. Stein, J.M. Haro, E.J. Bromet, R.C. Kessler, J. Alonso, M. Von Korff (Belgium, PR China, Colombia, France, Germany, Israel, Italy, Japan, Lebanon, Brazil, The Netherlands, Nigeria, South Africa, Spain, USA) 332
Amitriptyline preserves morphine's antinociceptive effect by regulating the glutamate transporter GLAST and GLT-1 trafficking and excitatory amino acids concentration in morphine-tolerant rats
Y.-H. Tai, Y.-H. Wang, R.-Y. Tsai, J.-J. Wang, P.-L. Tao, T.-M. Liu, Y.C. Wang, C.-S. Wong (Taiwan) 343
Risk factors for clinically recognized opioid abuse and dependence among veterans using opioids for chronic non-cancer pain
M.J. Edlund, D. Steffick, T. Hudson, K.M. Harris, M. Sullivan (USA) 355

LETTERS TO THE EDITOR

Exploding vs. imploding headache in migraine prophylaxis with Botulinum Toxin A
C. Fernández-de-las-Peñas, L. Arendt-Nielsen, D.G. Simons (Spain, Denmark, USA) 363
Response to Fernández-de-las-Peñas
R. Burstein, M. Jakubowski, P.J. McAllister, Z.H. Bajwa, T.N. Ward, P. Smith (USA) 364
Comment on Diatchenko et al. Catechol-*O*-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli. Pain 2006;125:216–24
H. Kim, R.A. Dionne (USA) 365
Responses to Drs. Kim and Dionne regarding comments on Diatchenko, et al. Catechol-*O*-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli. Pain 2006;125:216–24
L. Diatchenko, A.G. Nackley, G.D. Slade, I. Belfer, M.B. Max, D. Goldman, W. Maixner (USA, Australia) 366

Author Index to Volume 129 371
Subject Index to Volume 129 374
Contents to Volume 129 380